

IN THE CLAIMS

Claims 1-10. (Cancelled).

Claim 11. (Currently Amended) A working machine comprising:

a lower traveling body;

an upper rotating body rotatably mounted on said lower traveling body, the upper rotating body having an upper frame, an engine and a radiator;

a guard cover pivotally provided to cover at least said radiator;

a positional relationship member arranged in the vicinity of the guard cover; and

a radiator support provided on the upper frame, wherein positional relationship member and said guard cover are mounted to said upper ~~rotating supporting~~ body via said radiator support.

Claim 12. (Previously Presented) The working machine according to Claim 11, wherein said positional relationship member is a radiator duct extending between said radiator and said guard cover so as to guide cooling air passing said guard cover to said radiator.

Claim 13. (Previously Presented) The working machine according to Claim 11, wherein said positional relationship member is a canopy support mounted to said radiator support and passing through an opening in said guard cover.

Claim 14. (Currently Amended) A working machine comprising:

a lower traveling body;

an upper rotating body rotatably mounted on said lower traveling body, the upper rotating body having an upper frame and an engine including a muffler;
a bonnet pivotally provided to cover at least said engine;
a positional relationship member arranged in the vicinity of the bonnet; and
a mounting column provided on said upper frame, wherein said bonnet and said positional relationship member are mounted to said upper ~~rotating~~ ~~supporting~~ body via said mounting column.

Claim 15. (Previously Presented) The working machine according to Claim 14, wherein said positional relationship member is a side panel arranged on one lateral side at the rear part of an opening hood for covering the back side of said engine.

Claim 16. (Previously Presented) The working machine according to Claim 14, wherein said positional relationship member is a muffler cover covered by said bonnet and provided to cover said muffler.

Claim 17. (Previously Presented) The working machine according to Claim 14, further comprising a radiator provided on the upper rotating body and a radiator support provided on the upper frame, the radiator support provided on one lateral side at a rear part of the upper frame and the mounting column on a lateral side of the rear part of the upper frame opposite the radiator support, and a seat stand mounted to the radiator support and to the mounting column, wherein the seat stand extends between the radiator support and to the mounting column.

Claim 18. (Previously Presented) The working machine according to Claim 11, further comprising a an oil tank and a seat stand, wherein the oil tank and the seat stand are all mounted to said upper supporting body via said radiator support.

Claim 19. (Previously Presented) The working machine according to Claim 13, further comprising a bonnet pivotally provided to cover at least said engine, a muffler cover covered by said bonnet and provided to cover said muffler, and a mounting column provided on said upper frame, wherein said bonnet and said muffler cover are mounted to said upper supporting body via said mounting column.

Claim 20. (Previously Presented) The working machine according to Claim 14, further comprising a seat stand mounted to said upper supporting body via said mounting column, and a fixed cover panel mounted to said upper supporting body via said mounting column.

Claim 21. (Previously Presented) The working machine according to Claim 14, further comprising a radiator support mounted to said upper rotating body at a side of said engine opposite said mounting column.

Claim 22. (Previously Presented) The working machine according to Claim 21, further comprising a radiator, a guard cover pivotally provided to cover at least said radiator, and a radiator duct extending between said radiator and said guard cover so as to guide cooling air passing said guard cover to said radiator, wherein said radiator, said radiator duct and said guard cover are all mounted to said upper supporting body via said radiator support.

Claim 23. (Previously Presented) The working machine according to Claim 22,
wherein said seat stand and said bonnet are also mounted to said radiator support.